# MULTIFUNCTION MONO ALL-IN-ONE SERIES CREATED TO ENHANCE PRODUCTIVITY IN SMALL AND HOME OFFICES



i-SENSYS MF260 II Series

Get your small or medium-sized business up to speed with these compact and multifunctional black and white laser printers



#### Productivity

Optimised to deliver highly accurate but speedy printing. In spite of the compact yet robust and stylish design, they are capable of printing up to 28 pages per minute. Scan speeds are also impressive, with colour single sided output of 15ipm

#### Efficiency

Sometimes installing print cartridges can be messy and time-consuming. Not with the MF260 II series, as they boast Canon's Genuine Cartridge and Auto Seal Removal technology. This automatically jettisons the seal when installing a new cartridge, reducing waste and saving time

#### Security

Verify system at start up protects the device from tampering and unauthorised access. The network is protected with the latest encryption software. And a new security settings guide lets you quickly identify the best setting for you

## Connectivity

Works wirelessly with tablets and smartphones. These printers now also has native support for Microsoft Universal Print for easy cloud-based print management

### Sustainability

Canon's cartridge recycling programme provides a free, easy and environmentally responsible way to recycle your empty Canon cartridges



#### **RANGE FEATURE STEP UP CHART**



MF264dw II



MF267dw II

Fax		•
A4 print speed	28ppm	28ppm
Display	5-lines B&W Touch Screen	6-lines B&W Touch Screen
Scan speed	20 ipm	20 ipm
Automatic duplex printing	•	•
Cloud connectivity	Universal Print by Microsoft	Universal Print by Microsoft
Wireless connectivity	Yes	Yes



#### TECHNICAL SPECIFICATIONS

Machine type Available functions

PRINTER Print speed

Printing method Print resolution Warm-up time First Print Out Time Printer languages Fonts Print margins

Toner saver mode Advanced printing features

COPIER Copy speed

First Copy Output Time (FCOT) Copy resolution Copy modes Double sided copying Multiple copy Reduction / Enlargement Other features

SCANNER Type Scan resolution

Scan speed

Colour scanning depth Greyscales Compatibility Max. scan width Scan to E-mail

Scan to PC Scan to Cloud<sup>1</sup>

ifax

FAX Modem speed Receive mode

Fax resolution

FAX memory Speed dials Group dials/destinations Sequential broadcast Memory backup

Double sided faxing Other features

MEDIA HANDLING Scanner type Paper input (Standard)

Paper output Media types

Media sizes

Mono Laser MF267dw II: Print, Copy, Scan and Fax MF264dw II: Print, Copy and Scan

Single sided : Up to 28 ppm (A4) Double sided : Up to 17.8 ipm (A4) Monochrome laser beam printing Up to 1200 x 1200 dpi Approx. 15 seconds or less from power on Approx: 5.2 seconds or less UFRII-LT, PCL 5e<sup>1</sup>, PCL6 45 PCL fonts 5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)

Yes iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app Microsoft Universal Print support

Single sided (A4): Up to 28 ppm Double sided (A4): Up to 17.8 ipm Approx. 8.2 seconds or less

Up to 600 x 600 dpi Text/Photo, Text/Photo (High speed), Photo, Text I-sided to 2-sided (Automatic) Up to 999 copies 25-400% in 1% increments Collate Copies, 2 on 1, 4 on 1, ID card copy

Colour Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi Single sided mono: 20jpm (300x600dpi) Single sided colour: 15ipm (300x600dpi) 24 bit/24 bit (input/output) 256 levels TWAIN , WIA, ICA 215.9mm MF267dw II: TIFF/JPEG/PDF/Compact PDF

TIFF/JPEG/PDF/Compact PDF/Searchable PDF<sup>2</sup> TIFF/JPEG/PDF/PNG<sup>3</sup>

#### MF267DW II ONLY

33.6 Kbps (Up to 3 seconds/page<sup>5</sup>) Fax only, Fax/Tel Auto Switch, Answer Mode, Manual, DRPD: Select Fax Normal: 200 x 100 dpi Fine: 200 x 200 dpi Up to 256 pages<sup>5</sup> Up to 104 dials Max. 104 dials / Max. 50 destinations in one group Max. 114 destinations Permanent fax memory backup (Backup with flash memory) Yes (Transmit and Receive) Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only) DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports

Flatbed and Automatic Document Feeder (ADF) 250-sheet cassette 1-sheet multi-purpose tray 35-sheet ADF 50-sheet Plain paper, Recycled paper, Heavy Paper, Bond Paper, Label, Envelope Cassette : A4, A5, A5(Landscape), B5, A6, Legal, Letter, Executive,

A4, A5, A5(Landscape), B5, A6, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Envelop (COMI0, DL, C5), Custom sizes: Min. 76.0 x 127 mm Max. 216.0 x 356.0 mm Multi-purpose tray:

Multi-purpose tray: A4, A5, A5(Landscape), B5, A6, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Indexcard, Envelope (COM10,Monarch,DL, C5), Custom sizes: Min 76.0 x 127 mm Max. 216.0 x 356.0 mm

ADF: A4, A5, B5, B6, Legal, Letter, Custom sizes (W x L): Min. 105 x 148 mm Max 216 x 356 mm Media weights

Double sided printing

INTERFACE & SOFTWARE Interface type

Operating System compatibility

Network Protocol

GENERAL FEATURES Recommended Monthly Print Volume Duty cycle Processor Speed Memory Control panel

Software and printer

management

Dimensions with trays (W x D x H) Installation space (W x D x H) Weight Operating environment

Power Source Power Consumption

Noise Levels

CONSUMABLES Cartridges

ACCESSORIES/OPTIONS

Cassette: 60 to 163 g/m<sup>2</sup> Multi-purpose tray: 60 to 163 g/m<sup>2</sup> ADF: 50 to 105 g/m<sup>2</sup> Automatic A4, Legal, Letter, OFFICIO, B-OFFICIO, M-OFFICIO, Foolscap 60 to 105 g/m<sup>2</sup>

USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n, Wireless Direct Connection Windows\* 11 / Windows\* 0 / Windows\* 8.1 / Server\* 2022 / Server\* 2019 / Server\* 2016 / Server\* 2012R2 / Server\* 2012 Mac OS X version 10.12 & up Linux<sup>4</sup>

Print: TCP/IP (LPD/Port9100/IPP/IPPS/WSD) Scan: Buch Scap: File: SMP3.0 (TCP/IP)

Scan: Push Scan: File: SMB3.0 (TCP/IP) E-mail/I-Fax: SMTP (send) Pull Scan: TCP/IP, USB Management: SNMPVI, SNMPV3 (IPv4,IPv6)

Security: TLS1.3, IP address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)

Security (wireless): Infrastructure Mode: WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES), WPA-EAP(AES), WPA2-EAP(AES) Access Point Mode: WPA2-PSK(AES) MF Scan Utility, Remote User Interface (RUI), Toner Status Tool

250 - 2,500 pages per month

Max. 30,000 pages per month<sup>6</sup> 1200MHz 256MB MF267dw II: 6-line LCD B&W Touch Screen MF264dw II: 5 lines B&W LCD

390 mm x 405 mm x 375 mm

435 mm x 620 mm x 645 mm

Approx. 12.9 Kg Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)

220-240V(±10%) 50/60Hz (±2Hz) Maximum: Approx. 1240 W Active printing: Approx. 500W Standby: Approx. 4.7 W Sleep mode: Approx. 0.7 W Typical Electricity Consumption (TEC): MF267dw II - 0.25 kWh/week MF267dw II - 0.25 kWh/week For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For\_Work/ Lot26/index.aspx

Sound Pressure<sup>7</sup> : Active: 51 dB in B/W printing Standby: Inaudible Sound Power <sup>7</sup>:

Active: 69.1 dB or less in B/W printing Standby: N/A

Toner Cartridge 051 (1,700 pages <sup>8</sup>)<sup>9</sup> Toner Cartridge 051H (4,100 pages<sup>8</sup>)<sup>9</sup> Drum Cartridge 051 (23,000 pages<sup>8</sup>)<sup>9</sup>

MF267dw II: TEL 6 KIT (Telephone handset)

#### Notes:

- A Canon PCL5e driver is not supplied, however PCL5e commands are supported on the device.
- <sup>[2]</sup> Scan by MF Scan Utility
- [3] Scan by MF Scan Utility or Canon PRINT Business app
- [4] Linux support both printing and scanning
- [5] Based on ITU-T Standard Chart No. 1
- <sup>(6)</sup> Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- Inaudible means that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779
  Based on ISO/IEC 19752
- Leg Based on ISO/IEC 19752
- <sup>(9)</sup> Printer ships with Toner Cartridge 051 (1,700 pages), Drum Cartridge 051 (23,000 pages)



i-SENSYS MF260 II Series

# MULTIFUNCTION MONO ALL-IN-ONE SERIES CREATED TO ENHANCE PRODUCTIVITY IN SMALL AND HOME OFFICES

i-SENSYS MF260 II Series

Get your small or medium-sized business up to speed with these compact and multifunctional black and white laser printers



PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF264dw II	5938C017AA	4549292215540
i-SENSYS MF267dw II	5938C008AA	4549292215465

ACCESSORIES:

PRODUCT NAME	Mercury Code	EAN Code
Telephone 6 Kit EU (CW)	0752A065AA	4960999537214
Telephone 6 Kit UK (CW)	0752A063AA	4960999453897
Telephone 6 Kit SA (CW)	0752A064AA	4960999453927

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
- Toner Cartridge 051	2168C002AA	4549292105094
- Toner Cartridge 051H	2169C002AA	4549292088885
 Drum Cartridge 051	2170C001AA	4549292088861

Canon Inc. canon.com

Canon Europe canon-europe.com

English edition © Canon Europa N.V.,2022

