

RF-S 55-210mm F5-7.1 IS STM

WHEREVER YOU GO, GET CLOSER

A compact, lightweight RF-S lens for EOS R cameras with an APS-C sensor with a versatile telephoto zoom range, ideal for travel, sports and pets.



- Extend your reach
- Zoom in close
- Sharp, stable video and stills
- Get creative out of focus highlights and bokeh
- Smooth, quiet focusing with instinctive control
- A lens that works intuitively with your EOS R system camera

PRODUCT RANGE



RF-S 18-45mm
F4.5-6.3 IS STM

RF-S 18-45mm
F4.5-6.3 IS STM

RF-S 18-150mm
F3.5-6.3 IS STM



RF-S 18-150mm
F3.5-6.3 IS STM

**RF-S 55-210mm
F5-7.1 IS STM**



**RF-S 55-210mm
F5-7.1 IS STM**

Canon

Live for the story_

TECHNICAL SPECIFICATIONS

RF-S 55-210mm F5-7.1 IS STM

OPTICAL FEATURES / SPECIFICATIONS

Image Size	APS-C
35mm Film Equivalent Focal Length (mm)	88-336mm
Angle of View (Horznl, Vertl, Diagnl)	23° 20' - 6° 10', 15° 40' - 4° 5', 27° 50' - 7° 25'
Lens Construction (Elements/Groups)	11 / 8
Special Optics	2x UD, 1 x PMo Aspherical
Number of Diaphragm Blades	7
Minimum Aperture	22 at 55mm / 32 at 210mm
Closest Focusing Distance (m)	0.73 (at 210mm) 1.0 (at 55mm)
Maximum Magnification (x)	0.28 (at 210mm) 0.05 (at 55mm)
Control Ring	Combined control / focus
Image Stabilizer OIS¹	4.5
Image Stabilizer IBIS x OIS²	7
AF Actuator	STM
Coatings	Super Spectra
Fluorine	No

ACCESSORIES

Lens Cap	E-55
Lens Hood	ET-60B
Lens Case/Pouch	LP1016
Rear End Cap	Lens Dust Cap RF

PHYSICAL SPECIFICATIONS

Filter Diameter (mm)	-
Max. Diameter x Length (mm)³	55 69 x 135
Weight (g)	270

Footnotes/Disclaimers

¹ Tested under CIPA standards

² Tested under CIPA standards
(in the yaw/pitch directions at a focal length of 50 mm using an EOS R5)

³ Lens dimensions when in retracted state



Live for the story_

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2023

WHEREVER YOU GO, GET CLOSER RF-S 55-210mm F5-7.1 IS STM

A compact, lightweight RF-S lens for EOS R cameras with an APS-C sensor with a versatile telephoto zoom range, ideal for travel, sports and pets.

Sales Start Date: March 2023 TBC



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
RF-S 55-210mm F5-7.1 IS STM	5824C005AA	4549292207729

COMPATIBLE ACCESSORIES:

Product Name	Mercury Code	EAN Code
LENS HOOD FOR RF-S 55-210mm F5-7.1 IS STM (NOT BUNDLED/SOLD SEPARATELY)	5836C001AA	4549292208818
E-55 (CENTER PINCH TYPE) (BUNDLED)	8266B001AA	4960999975689
LENS DUST CAP RF (BUNDLED)	2962C001AA	4549292115604
LP1016 (NOT BUNDLED/SOLD SEPARATELY)	2782A003CA	4960999470771

Live for the story_

WHEREVER YOU GO, GET CLOSER RF-S 55-210mm F5-7.1 IS STM

A compact, lightweight RF-S lens for EOS R cameras with an APS-C sensor with a versatile telephoto zoom range, ideal for travel, sports and pets.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
RF-S 55-210mm F5-7.1 IS STM	5824C005AA	EA	Each	1	12.2	12.2	18.3	0.4685
		CT	Carton	6	38.6	26.3	23.7	3.4567
		EP	Euro Pallet	270	120	80	131.5	154.7205
			Layers per Pallet	5				
			Cartons per Layer	9				
			Products per Layer	54				
LENS HOOD ET-60B	5836C001AA	EA	Each	1	9.2	9.2	4.15	0.0416
		CT	Carton	18	32.7	22.3	19.6	1.1588
		EP	Euro Pallet	1080	120	80	130.6	84.528
			Layers per Pallet	6				
			Cartons per Layer	10				
			Products per Layer	180				

What's in the box?

- RF-S 55-210mm F5-7.1 IS STM
- LENS CAP E-55
- LENS DUST CAP RF
- Printed Matter Unit (EUR)
- Display Box

Canon

Live for the story_