ALL THE BENEFITS OF A ZOOM. ALL THE QUALITIES OF A PRIME

A compact, lightweight professional f/2.8 telephoto zoom that offers exceptional sharpness and speed with unparalleled flexibility.





- · A pro zoom with versatile telephoto power
- Blazingly fast, responsive and precise
- · Incredible image quality
- · Creative control when you need it most
- Built for professionals
- · Add even more versatility with RF extenders



PRODUCT RANGE



RF 70-200mm F2.8L IS USM



RF 100-300mm F2.8L IS USM



RF 400mm F2.8L IS USM RF 70-200mm F2.8L IS USM RF 100-300mm F2.8L IS USM RF 400mm F2.8L IS USM



TECHNICAL SPECIFICATIONS

OPTICAL FEATURES / SPECIFICATIONS Angle of View (Horzntl, Vertl, Diagnl)

Lens construction (elements/groups) Special optics

No. of diaphragm blades Minimum aperture Closest focussing distance

Maximum magnification (x)

Control ring Image stabilizer¹ No. Stops Lens OIS only

IBIS x OIS AF actuator Coatinas Fluorine coating

PHYSICAL SPECIFICATIONS Dust/moisture resistance **Exterior coating** Filter diameter (mm) Max. diameter x length (mm) Weight (g)

20° - 6° 50', 14° - 4° 35', 24° - 8° 15' 23/18

1x Fluorite 1x GMo aspherical 9

22 1.8m (constant)

0.06 (at 100mm) 0.16 (atr 300mm)

Yes

5.5

Dual Nano USM ASC, Super Spectra

Front

Yes Heat Shield 112 128 x 323.4 2590

RF 100-300mm F2.8L IS USM

ACCESSORIES Lens Cap Lens hood

Lens case/pouch Lens Dust Cap RF Rear End Cap **Extender Compatibility**

SPECIFICATIONS 1.4X EXTENDER

Focal Length Aperture values (f/) Maximum Magnification

AF Possible

SPECIFICATIONS WITH 2X **EXTENDER Focal Length**

Aperture values (f/) Maximum Magnification

AF Possible ıs

F-112 ET-124

Lens Soft Case LS100-300

Compatible with RF Extender only

140mm-420mm

0.22 Yes Yes

200mm - 600mm

5.6 0.31 Yes Yes

Footnotes/Disclaimers

² Lenses with dust/moisture resistance are fitted with a rubber ring on the lens mount which may cause slight abrasion of the camera mount. This in no way effects either the lens or camera performance.



Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2023

ALL THE BENEFITS OF A ZOOM. ALL THE QUALITIES OF A PRIME

RF 100-300mm F2.8L IS USM

A compact, lightweight professional f/2.8 telephoto zoom that offers exceptional sharpness and speed with unparalleled flexibility.

Sales Start Date: May 2023 TBC



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
RF 100-300mm F2.8L IS USM	6055C005AA	4549292216165

COMPATIBLE ACCESSORIES:

Product Name	Mercury Code	EAN Code
ET-124 LENS HOOD for RF 100-300mm F2.8L IS USM (INCLUDED)	6103C001AA	4549292216158
E-112 LENS CAP for RF 100-300mm F2.8L IS USM (INCLUDED)	6102C001AA	4549292216141
LENS DUST CAP RF (INCLUDED)	2962C001AA	4549292115604
LENS WIDE STRAP B	4771B001AA	4960999677859
LENS EXTENDER RF1.4X	4113C005AA	4549292168044
LENS EXTENDER RF2X	4114C005AA	4549292168051



ALL THE BENEFITS OF A ZOOM. ALL THE QUALITIES OF A PRIME

RF 100-300mm F2.8L IS USM

A compact, lightweight professional f/2.8 telephoto zoom that offers exceptional sharpness and speed with unparalleled flexibility.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
RF 100-300mm F2.8L IS USM	6055C005AA	EA	Each	1	46.8	28.8	28.9	6150.3
		СТ	Carton	1	46.8	28.8	28.9	6150.3
		EP	Euro Pallet	24	120	80	128.9	162.6
			Layers per Pallet	4				
			Cartons per Layer	6				
			Products per Layer	6				
ET-124 LENS HOOD for RF 100-300mm F2.8L IS USM	6103C001AA	EA	Each	1	15	15	10.3	0.228
		СТ	Carton	6	43.2	29.4	22.3	2.42
		EP	Euro Pallet	180	120	80	124.5	87.6
			Layers per Pallet	5				
			Cartons per Layer	6				
			Products per Layer	36				
E-112 LENS CAP for RF 100-300mm F2.8L IS USM	6102C001AA	EA	Each	1	12.5	19.0	15	0.004
		СТ	Carton	40	43.2	29.4	22.3	2.85
		EP	Euro Pallet	1200	120	80	124.5	100.5
			Layers per Pallet	5				
			Cartons per Layer	6				
			Products per Layer	240				

What's in the box?

- LENS RF 100-300mm F2.8L IS USM
- E-112 LENS CAP
- LENS DUST CAP RF
- ET-124 LENS HOOD
- LENS SOFT CASE LS100-300
- LENS WIDE STRAP B
 - User Manual (EUR)

