

PIXMA G3590

SUPERB AUTOMATIC TWO-SIDED PRINTS. HUGE SAVINGS



A fast, high-quality and cost-efficient 3-in-1 printer with Wi-Fi for productive students, families and home workers.

3-in-1 3-in-1 printer



Fast Printing

11.0 ipm / 6.0 ipm



Auto 2-sided Print

Automatic duplex
printing



High quality printing



2.7" tilting colour
LCD touch screen



Rear Feeding Capacity

100-sheet
capacity





Ultra-low running costs

Make huge savings over the printer's lifetime thanks to refillable high-yield ink tanks. Print 6,000¹ pages from a black ink bottle (7,600 in Economy) and 7,700¹ pages from a set of colour ink bottles (8,100 in Economy)



Fast, high-quality results

Both documents and photos look fantastic, thanks to pigment black ink and dye-based colour inks. And they arrive quickly too, with print speeds of 11.0 ipm (mono) and 6.0 ipm (colour) and automatic duplex printing



Simple operation

Easy, straightforward day-to-day use thanks to a tilting 2.7" colour LCD touch screen, user-friendly Switch UI menu and single-action print head installation



Wireless connectivity

Print seamlessly from a range of devices with Wi-Fi connectivity and support for PIXMA Cloud Link (now with no login requirement for faster access), Canon PRINT app, Apple AirPrint and more. Scan documents to your smartphone in seconds with a simple QR code



Easy at-home maintenance

Keep downtime to a minimum thanks to the user-replaceable maintenance cartridge and mechanical ID no-squeeze ink bottles



Work with more media

Get creative at home with the ability to print on magnetic, iron-on and matte photo paper

PRODUCT RANGE



PIXMA G4570



PIXMA G3570



PIXMA G2570



PIXMA G1530

GENERAL SPECIFICATION

Functions Wi-Fi, Print, Scan & Copy, Cloud

PRINTER SPECIFICATIONS

Print Resolution Up to 4800 x 1200 dpi ^[1]
Print Technology 2 FINE Print Head (Black and Colour)
 Refillable ink tank printer
Mono Print Speed Approx. 11 ipm ^[2]
Colour Print Speed Approx. 6.0 ipm ^[2]
Photo Print Speed Borderless 10x15cm : Approx. 45 seconds ^[3]
Borderless Printing Yes
 A4, B5, LTR, 4" x 6", 5" x 7", 7" x 10", 8" x 10",
 Square 3.5" (89 mm x 89 mm), Square 5" (127 mm x
 127 mm), Card Size(55 mm x 91 mm) ^[4]

Two Sided Printing Auto 2-sided printing

INKS AND YIELDS

Ink Bottles

GI-51 <PGBK>
 GI-51 <C>
 GI-51 <M>
 GI-51 <Y>

Ink Bottle Yield (Plain paper)

A4 colour documents printing ^[5]
 Black: 6,000 pages (Economy mode 7,600 pages) ^[6]
 Colour: 7,700 pages (Economy mode 8,100 pages) ^[6]
 * Estimated supplemental yield

Ink Bottle Yield (Photo print)

10x15cm colour photo printing ^[7]
 Colour: 2,200 photos
 * Estimated supplemental yield

PAPER SUPPORT

Paper Types

Plain Paper
 Red Label Superior 80 g/m² (WOP111),
 Canon Océ Office Colour Paper 80 g/m² (SAT213)
 Photo Paper Pro Luster (LU-101),
 Photo Paper Plus Glossy II (PP-201)
 Matte Photo Paper (MP-101),
 Glossy Photo Paper "Everyday Use" (GP-501)
 High Resolution Paper (HR-101N),
 Envelope,
 Photo Paper Plus Semi-gloss (SG-201),
 Greeting Card (manufactured by Avery and
 RedRiverPaper),
 Cardstock (manufactured by Neenah Paper and
 INKPRESS),
 Restickable Photo Paper(RP-101)
 Magnetic Photo Paper(MG-101)
 Dark Fabric Iron on Transfers (DF-101),
 Double sided Matte Paper (MP-101D),
 T-Shirt Transfer

Maximum Paper Input

Rear Tray: Max. 100 sheets (plain paper)

Paper Sizes

A4, A5, A6, B5, LTR, LGL, Executive, Foolscap, F4,
 Oficio2, B-Oficio, M-Oficio, 4" x 6" (10 x 15 cm), 5" x
 7" (13 x 18 cm), 7" x 10" (18 x 25 cm), 8" x 10" (20 x
 25 cm), Envelopes DL, Envelopes COM10,
 Envelopes C5, Envelopes Monarch, Square 3.5" (89
 mm x 89 mm), Square 5" (127 mm x 127 mm), Card
 Size (55 mm x 91 mm)

Paper Weight

[Custom size] width 55 mm - 216 mm, length 89 mm
 - 1200 mm

Rear Tray: Plain paper: 64 - 105 g/m²
 Canon speciality paper: max paper weight : approx.
 265 g/m²
 (Photo Paper Plus Glossy II PP-201)

SCANNER SPECIFICATIONS

Scanner Type

CIS flatbed photo and document scanner

Scanner Resolution (Optical)

600 x 1200 dpi ^[8]

Line Scanning Speed

Colour: 3.5 ms/line(300dpi) ^[9]
 Greyscale: 1.5 ms/line(300dpi) ^[9]

Scanning Depth (Output)

Colour: RGB each 8bit
 Greyscale: 8 bit

Maximum Document Size

A4/LTR

COPIER SPECIFICATIONS

Copy Speed

sFCOT: Approx. 23 sec ^[10]
 sESAT: Approx. 3.2 ipm ^[10]

Copy quality

3 levels (Economy, Standard, High)

Intensity adjustment

9 positions, Auto intensity (AE copy)

Multiple Copy

99 copies (max.)

Copy Functions

Document Copying, Photo Copying, Borderless
 copy, 2-on-1 and 4-on-1 copy, Two-Sided Copying,
 Frame erase copy, ID copy, Oversized Copy, Tiling
 Copy

Copy Zoom

25 - 400% (in 1% increments)
 Fit to page
 A5 to A4, B5 to A4, A4 to A5 and A4 to B5

GENERAL

Display

2.7" / 6.7 cm LCD (Touch Screen, Colour)

Interface

Hi-Speed USB (USB B Port)

Protocol

SNMP, HTTP, TCP/IP (IPv4/IPv6)

TLS

1.3/ 1.2/ 1.1/ 1.0

Wireless LAN

Supported Standards: IEEE802.11 b/g/n/a/ac ^[11]
 Frequency Bandwidth: 2.4 GHz/ 5 GHz*
 Security: WPA-PSK (AES), WPA2-PSK (AES),
 WPA3-SAE (AES)
 * Frequency bandwidth and available channels differ depending
 on country or region.

Mobile Apps (iOS®/ ANDROID™)

Canon PRINT app ^[12]
 Creative Park app ^[13]
 Easy-PhotoPrint Editor app ^[14]

Printer Features

Easy-PhotoPrint Editor Software ^[15]
 PIXMA Cloud Link (print)
 Canon Print Service Plugin (Android) ^[16]
 Apple AirPrint ^[17]
 Wireless Direct ^[18]
 Mopria (Android) ^[19]
 Amazon Alexa™ ^[20]

Smart Assistant & Automation Support

Windows 11, Windows 10, Windows 8.1, Windows
 7 SP1

OS Compatibility

Operation can only be guaranteed on a PC with
 pre-installed Windows 7 SP1 or later.
 .NET Framework is required.
 Printer driver and IJ Printer Assistant Tool support
 the following OS:
 Windows Server 2008 R2 SP1, Windows Server
 2012 R2, Windows Server 2016, Windows Server
 2019, Windows Server 2022
 Mac: macOS Big Sur 11.7.6 ~ macOS Sonoma 14
 Chrome OS
 iPad OS
 Mobile Operating Systems: iOS®, Android™ ^[21]
 Display: 1024 x 768 XGA

Minimum System Requirements

Printer Driver
 IJ Printer Assistant Tool

Software Included

PHYSICAL FEATURES

Weight

approx. 6.5 kg

Dimensions (W x D x H)

Approx. 416 x 363 x 177 mm (with trays retracted)

Approx. 416 x 555 x 268 mm (with trays extended)
 approx. 49.0 dB(A) ^[22]

Acoustic Noise Levels

Operating Temperature

5-35°C

Operating Humidity

10-90%RH (no dew condensation)

Power Source

AC 100-240V, 50/60Hz

Power Consumption

Off: Approx. 0.1W
 Standby (USB connection to PC): Approx. 0.9W
 Standby (all ports connected): Approx. 1.5W
 Time to enter Standby mode: 11 minutes 5 sec
 Copying: Approx. 18W ^[23]
 0.22 kWh ^[24]

Typical Electricity Consumption

Footnotes:

- ^[1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- ^[2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- ^[3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- ^[4] Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers
- ^[5] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- ^[6] The economy mode reduces the black ink consumption by lowering the density, 26% more pages than the standard mode can be printed
- ^[7] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement after initial setup.
- ^[8] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard. Maximum optical resolution scan is available, only when you use TWAIN Driver.
- ^[9] The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- ^[10] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- ^[11] Wireless printing requires a working network with wireless 802.11b/g/n/ capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- ^[12] Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- ^[13] Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.
- ^[14] The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- ^[15] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution.
- ^[16] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- ^[17] AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- ^[18] Requires a smart device with the Canon PRINT app installed and connected to the desired active wireless network to complete cableless setup.
- ^[19] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- ^[20] Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.
- ^[21] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
- ^[22] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- ^[23] Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- ^[24] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.

Disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

SUPERB AUTOMATIC TWO-SIDED PRINTS. HUGE SAVINGS

PIXMA G3590

A fast, high-quality and cost-efficient 3-in-1 printer with Wi-Fi for productive students, families and home workers.

Sales Start Date: October 2024



Product details

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA G3590	6706C006AA	4549292235098	<Please fill in RRP>

Consumables

Accessory Name	Mercury Code	EAN Code	Recommended Retail Price
Standard size			
GI-51PGBK	4529C001AA	4549292169546	<Please fill in RRP>
GI-51C	4546C001AA	4549292169829	<Please fill in RRP>
GI-51M	4547C001AA	4549292169843	<Please fill in RRP>
GI-51Y	4548C001AA	4549292169867	<Please fill in RRP>
Maintenance Cartridge			
MC-G07	6799C001	4549292237900	<Please fill in RRP>

SUPERB AUTOMATIC TWO-SIDED PRINTS. HUGE SAVINGS

PIXMA G3590

A fast, high-quality and cost-efficient 3-in-1 printer with Wi-Fi for productive students, families and home workers.



Measurement / logistic information

Product Name	Mercury Code	Pack Style	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA G3590	6706C006AA	Individual	1	502	523.5	269	10.3	7.23
		Pallet (Bottom)	20	1007	1050	1348	207.5	144.6
		Pallet (Upper)	16	1007	1050	1079	166.3	115.7

SUPERB AUTOMATIC TWO-SIDED PRINTS. HUGE SAVINGS

PIXMA G3590

A fast, high-quality and cost-efficient 3-in-1 printer with Wi-Fi for productive students, families and home workers.



What's in the box

PIXMA G3590

- PIXMA G3590 Refillable MegaTank Inkjet Printer
- 4 high-yield ink bottles (1 x Black and 1 x C/M/Y)
- Power cord
- Manuals and other documents

